

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R000412910019-4





ACC - NR. AT6029231 SOURCE CODE: UR/0000/66/000/000/0143/0152 AUTHOR: Sukhomlinov, M. M.; Ferenets, N. K.; Onishchenko, E. L.; Pelipenko, N. I.; Shikalov, V. S.; Kholmskaya, Ye. V.; Sirotyan, V. G.; Dodonova, G. M. ORG: none Digital-analog computer system using magnetostrictive delay lines SOURCE: Vsesoyuznaya konferentsiya-seminar po teorii i me odam matematicheskogo modelirovaniya. 4th, Kiev, 1964. Vychislitel naya tekhnika upravlenii (Computer technology in control engineering); trudy konferentsii. Moscow, Izd-vo Nauka, 1966, 143-152 TOPIC TAGS: digital differential analyzer, circuit delay line, magnetostriction, computer control system ABSTRACT: The authors describe the design and performance of a digital differential analyzer using magnetostrictive delay lines as memory elements. The authors claim that such a memory has the advantages of a high speed ferrite core memory and the economy of a magnetic drum. The digital differential analyzer has the following parameters 32 integrators, binary operational code, 20 hit words, 250 KHz cycle rate, 400 operations per second, and error not exceeding 0.01%. The operational program and the initial conditions are entered manually through switches on a control console. The data entry can be manual, using decimal or binary codes, or automatic. The digital Cord 1/3


POPE PRINCIPALISM I PURENTANTAN APPARA BANGSA NESARA PARASA I SELEPTI PURENCI (CALCALA)


L 06405-67

ACC NR: AT6029231

differential analyzer consists of a memory, computational unit, control unit, input and output equipment, control console and code converters. Of particular interest is the design and performance of the memory. The memory uses eight magnetostrictive delay lines, shown diagrammatically in fig. 1. The lines circulate the initial conditions data, the program, the increments, the intermediate results, and other information. ne electrical pulses are converted into accustical signals utilizing the magnetostrictive phenomenon. The acoustic material should be a nickel-iron-titanium alloy, which reduces the temperature effects on the delay time; in the absence of such material, nickel wire of medium hardness can be used. The diameter of the wire is very important It determines the resolution of the delay line and the magnitude of the output signal. The thinner the wire, the better the resolution and the lower the output signal. An optimum diameter for a 250-1000 KHz signal rate is 0:5-0.8 mm. To reduce the reflection coefficient and physical dimensions, the delay line is formed into a flat Archimedes spiral housed in a flat cylindrical enclosure. The performance specifications for the ultrasonic delay line are as follows: operating frequency 50-1000 KHz, delay time 800-3000 microseconds, resolution 0.5-2 microseconds, signal-to-noise ratio greater than 4, and power consumption 1.5 w. The other functional units of the digital differential analyzer are described in detail. Block diagrams and performance data are given. Orig. art. has: 1 table, 6 formulas, 4 figures.

Card 2/3





ACCESSION NR: AP3000245

\$/0119/63/000/005/0006/0009

AUTHOR: Ferenets, V. A.

TITLE: Some peculiarities in the operation of a two-thermistor bridge circuit

SOURCE: Priborustroyeniye. 1963


TOPID TAGS: thermistor, thermistor-type bridge, thermistor-bridge measurements, thermistor-bridge relay, MT-54 thermistor, KMT-14 thermistor


ABSTRACT: A symmetrical bridge circuit with two adjacent thermistor arms is studied theoretically and experimentally. Experimental dynamic resistance vs. current and current-voltage characteristics of types MT-54 and MMT-14 thermistors are presented, as well as a few static relay characteristics of the thermistor-bridge circuit. The following conclusions are offered: (a) the operating stability of the thermistor bridge depends not only on the values of the linear resistors in the bridge arms but also on the resistance of the measuring diagonal; (b) the resistances selected for the thermistor bridge should be checked against the stability diagram (Enclosure 1, fig. 2); (c) the thermistor bridge circuit can be designed for a relay effect which manifests itself in the value and polarity (phase) of the output signal. Orig. art. has: 14 formulas and 4 figures.

Card 1/3


	P5025071	SOURCE CODE: UR/02	86/65/000/016/0130/0130	7
AUTHORS:	erenets, V. A.; Vishnyak,	Ye. B.; Dubrovskiv.	Kh. K	
ORG: none			20	
TITLE: Sh	lter for an aircraft. Cla	18 65 No. 17/042	B	
Source: B	ulleten! izobreteniy i tov	rnykh anaban		
TOPIC TAGS	steel structure, aircraf	maintanana	0, 1965, 130	
ANSTRACT: shelter dur blity of b supporting	This Author Certificate pre licates in its plan the sha ringing the aircraft in and ody of the shelter is made wires attached to columns	sents an aircraft s pe of the aircraft. out without disman	helter for repair. This	
<ul><li>(金) (株式) 2 (1) (4) 下級をおり</li></ul>				1

그는 그는 그 이 그는 이 아이를 하지만 그 모든 이 생활하였습니다.	SOURCE CODE: UR/0286/65/000/016/0130/0130
AUTHORS: Ferenets, V. A.; V	ishnyak, Ye. B.; Dubrovskiy, Kh. K. 20
TITLE: Shelter for an aircr	aft. Class 65, No. 174083
SOURCE: Byulleten' izobrete	niy i tovarnykh znakov, no. 16, 1965, 130
TOPIC TAGS: steel structure	, aircraft maintenance, aircraft
bility of bringing the aircre	ficate presents an aircraft shelter for repair. This an the shape of the aircraft. To ensure the possi-aft in and out without dismantling the shelter, the er is made out of a cantilever which is suspended by to columns (see Fig. 1).






# LOZINSKIY, M.G.; FERENETS, V. Ya. Referent of cyclic of transformations on shape modifications of iron specimens. Metalloved. i term. obr. met. no.12:42-43 (MIRA 18:2) 1. Institut mashinovedeniya Gosudarstvennogo komiteta po mashinovedeniyu pri Gosplane SSSR.




ignibile tests. The grain size relation was calculated by the Rechinger equations. The quantity and size with 130X magnification.	9

A. CIOI	62-69 E58I()N NR: AT4046869	
	nee in the rate of elongation to 600-800 %/hr osuses marked disinter	gration of the
-	Be comparing the curves in Fig. 2. It may be seen that when	the grains are
	, in fact, with a ongation rates	e e e e
	. Con the strains on displayers so the contract of	* * ** .B
	Courtha nickel samples under tension at 190 tel 5 to 197 8 75	ு அ. சு க்கிம்.
	of the data obtained it is concluded that at a rate of the firm	or in the highest
	er ant sample length, the soler	ಿರ್. ಅರ್. 108
	rgon fraction of total changes.	: ১ টাই
	and the matters drop abarries. The total course is an erace	0 1 ≥ %38 <b>8150</b>
	Same of the second second	
	A MARCON RECORDS	,
		3
	real grain growth increasing as the rate of the	ស្រាស់ ស្រាស់
	a higher than for aluminum as a constant	to the training
	to campuniting. The lews of variation of fixer shape has been	A STATE OF DISCHARGE
	The latinickel sections under tension is a section of the	t modion
	"Will he . It to prove that the or the west of	ा ः ः अध
	* CREAT AND AT YORK OFF TRADE SOLVE TO THE	·
	And the Anti-Anti-Anti-Anti-Anti-Anti-Anti-Anti-	
	18 The state bearing a barrage and a second and a second and	





L 42303-66 EWT(d)/EWT(m)/EWP( $\mathbf{v}$ )/ETI/EWP( $\mathbf{k}$ )/EWP( $\mathbf{h}$ )/EWP( $\mathbf{1}$ )/EWP( $\mathbf{t}$ ) IJP( $\mathbf{c}$ ) ACC NR: AP6016307 SOURCE CODE: UR/0380/66/000/001/0096/0106 Goncharov, P. P. (Moscow); Lozinskiy, M. G. (Moscow); Ferenets, V. Ya. (Moscow) ORG: none TITLE: Stereophotogrammetric measurement of extrusion-intrusion microrelief appearing during the plastic deformation of nickel SOURCE: Mashinovedeniye, no. 1, 1966, 96-106 TOPIC TAGS: surface property, metal deformation, nickel annealing, heat resistant alloy, metalworking ABSTRACT: The subject of the investigation was nickel of industrial grade, Brand NP-2, of the following composition, %; 0.02 iron; 0.01 manganese; 0.03 copper; 0.015 zinc; and 0.014 sulfur. This brand is the base of many heat resisting alloys. After mechanical working, the samples were annealed in a vacuum at 1100 for 1.5 hours. The transverse grain size was 0.22-0.28 mm. Tests were made of the kinetics of the deformation of the nickel samples during elongation tests in a vacuum in a Type IMASh-5S unit lat a constant rate of 1200%/ hour, at 20° and at 800°. A method is described for the quantitative evaluation, using photogrammetry, of the deformation microrelief on the surface of the Cord 1/2UDC: 620.1622/546.74:539.37/38


L 42303-66 ACC NR: AP6016307		
	of temperatures. Microphotographs given of samples of nickel defor of 1200%/hour at 12.5 and 24.2% Orig. art. has: 1 formula and 9	and med at a at 20°, and figures.
SUB GODE: 11,13,20/SUBM DATE:		
	교육의 현실 경기 교육 교육 교육 등 수 있는 것이다. 교육 현실 기계 기계 기계 기계 수 있는 기계	
	[일본] (14 : 14 : 14 : 14 : 14 : 14 : 14 : 14	
	: : : : : : : : : : : : : : : : : : :	
Card 2/2 Alk		





PERENS,	, Boguslaw, mgr inz.	
	Measuring methods of parameters of the physical properties of semiconductor materials. Pomiary 8 no.11:519-522 N '62.	
	1. Katedra Teorii Maszyn Cieplnych, Politechnika, Warszawa.	
		ì
	마음하다는 경험 등로 불로 통합하다는 기를 하는 것으로 하지만 하는 것이 되었다. 한 2018년 대한 1918년 대한	
	마스트 이 전략적으로 보고 하는 것이 되는 것을 하는 것이 되었다. 1995년 - 1995년 전 1995년 1일 1995년 1997년	
	도 하고 있는 것이 되는 생생이 발표되었다. 그런 그는 그는 그는 그는 그는 그 그 그 것이 되었다. 그는 그는 그는 그를 보고 있는 것이다. 그는 그는 그를 보고 있는 것이다. 그는 그들도 그는 그를 보고 있는 그를 보고 있는 것이 되었다. 그를 보고 있는 것이다. 그는 그를 보고 있는 것이다. 그를 보고 있는 그는 것이 있는 그를 보고 있었다. 그런 그를 보고 있는 것이다.	1:
	도시 : 문제 : 그리고 하는 경기를 통합해 하는 경기를 가지 않는 것이 되었다. 그리고 하는 것이 되었다. 	-




















BEREIVS, B.

FERENS, B.

Ornithological researches in the Beskids of the Zywiec region.

p. 253 (Wierchy) Vol. 24, 1956, Krakow, Poland

SO: MONTHLY INDEX OF EAST EUROPEAN ACCESSIONS (EEAI) LC, VOL. 7, NO. 1, JAN. 1958

Ferens, B

Poland/General Division. Conservation of Nature

A-5

Abs Jour

Ref Zhur-Biologiya, No 2, 1958, 4700

Author

Ferens Bronislaw

Inst

Title

Regular Session of the State Soviet for the Conservation of Nature Held 15-16 November

1957

Orig Pub

Kosmos (Pol'ska) 1957, A6, No 1, 62-69

Abstract

Account of the work done at the session; brief survey of the work done for the conservation of nature in Poland; report on awards made to leaders in the field of nature consr-

vation; plans for further work.

Card 1/1

CIA-RDP86-00513R000412910019-4" APPROVED FOR RELEASE: 08/23/2000


The problem of protecting birds in towns.


P. 272 (OCHRONA PHZYRODY) Poland, Vol. 6, No. 2, 1957.


S0: Monthly index of Last European Accessions (AEEI) Vol. 6, No.11, November 1957

# "APPROVED FOR RELEASE: 08/23/2000 CIA-RDP

CIA-RDP86-00513R000412910019-4









L\_07.188~67... --- EWT(1) SOURCE CODE: PO/0095/65/013/11-/0553/0557 ACC NR: AP6017910 AUTHOR: Ferens, B. B ORG: Laboratory of Thermoelectricity, Institute of Heat Technology, Warsaw (Pracownia Termoelektryczna, Instytut Techniki Cieplnej) TITLE: Optimization of working conditions of a refrigerating thermoelement SOURCE: Polska akademia nauk. Bulletin. Serie des sciences techniques, v. 13, no. 11--12, 1965, 553-557 TOPIC TAGS: thermoelectric cooling, thermal battery, refrigerating system ABSTRACT: A method is given for finding the optimum shape of the thermoelement in refrigerating units based on the Peltier effect. The shape is optimum in the sense that it provides the best values for the refrigerating capacity and efficiency with minimum losses in the heat cycle for a given current intensity. Changes in the heat cycle characteristics are graphed as functions of the ratio of the cross-sectional area to length. Presented by B. Stefanowski on 10 June 1965. Orig. art. has: 9 formulas, 4 figures. SUB CODE: 13,20,09/ SUBM DATE: none/ ORIG REF: 003


SATARIN, V.I.; PERENS, N.I., nauchnyy redaktor; SHPAYER, A.L., redaktor;

[Gement production in the Polish People's Republic; special technology and equipment] Proisyodstvo tsementa v Pol'skoi Marodnoi Respublike; osobennosti tekhnologii i oborudovaniia. Moskva, Gos. izd-vo lit-ry po stroit. materialam, 1956. 31 p. (MLRA 9:7)

(Foland--Gement industries)








FERENSCAK, M.


Slag of blast furnaces in the construction industry. p. 9.

IZCRADNJA. (Drustvo gradevinskih inzenjera i technicara Srbije i Udruzenje gradevinskih i gradevinsko zanatskih preduzeca Srbije) Beograd, Yugoslavia. Vol. 12, no. 9/10, Sept./Oct. 1958.


Monthly List of East European Accessions (EEAI) LC, Vol. 8, no. 6. June 1959


Uncl.






APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R000412910019-4"









L 01181-66 ACCESSION NR. AP5025871 PO/0022/65/000/005/0129/0145 AUTHOR: Bartkowiak, Jacak (Engineer); Ferenstein, Ludwik (Engineer) TITLE: Electronic and telecommunication industry at the 34th International Fair in Poznan SOURCE: Przeglad telekomunikacyjny, no. 5, 1965, 129-145 TOPIC TAGS: electronic equipment, electronic component, electronics, telecommunication, communication equipment, electronic industry, telecommunication industry ABSTRACT: The article presents a survey of products, complete assemblies and components, manufactured by the Polish electronics ABSTRACT: and telecommunications industry and exhibited at the 34-th Annual International Poznan Fair. Numerous enterprises are represented here and basic technical data are given of the most interesting new items; these include electroacoustic apparatus, television receivers, miscellaneous electronic devices and instruments, tubes, capacitors, resistors, transformers, etc. Some of the telecommunication equipment is described in greater detail, not only the performance data are given but the principle and functioning are explained. Orig. art. has: 24 figures and 6 tables.

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R000412910019-4





FERENTS, G.

AUTHOR: Ferents, G. 133-11-15/19

TITLE:

The Development of the Iron and Steel Industry in the

· 在中心之间的特别的原则是是一种的原则是一种的原则是一种的原则是一种的原则是一种的原则是一种的原则是一种的原则是一种的原则是一种的原则是一种的原则是一种的原则

Hungarian People's Republic (Razvitiye chernoy metallurgii

v Vengerskoy narodnoy Respublike)

PERIODICAL:

Stal', 1957, No.11, pp. 1032 - 1033 (USSR)

ABSTRACT:

CT: An historical review of the development of the iron and steel industry in Hungary is given. Data on the output of pit iron, steel and rolling products for the period 1949-1955 are

given.

ASSOCIATION:


The author is the Deputy Minister of the Metallurgical Industry and Machine Building of the Hungarian People's

Republic.


AVAILABLE:


Library of Congress

Card 1/1



"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R000412910019-4





FERENYI, Antal. Dr.; J003, Marta, Dr.; SOLASKK, Injoene

Exercise therapy in osteoarticular tuberculosis. Tuberkulozis 10 no.3-4:78-80 Mar-Anr 57.


1. Az Allami Fodor Jozsef Toc. Gyogyintezet (Igazgato feoryos: Risko Tibor dr.) II. sz sebeszeti osztalyanak (feoryos: Borsay Janos dr.) kozlemenye.

(TUBERJULOSIS: OSTEOARTICULAN, ther.

exercise ther., evaluation of eff. (Hun.))

(EXTRUISE THERAPY, in various dis.


osteoarticular tuberc., evaluation of eff. (Hun.))



"Comparative Analysis of Tables of Internal Conversion Coefficients."

report submitted for All-Union Conf on Nuclear Spectroscopy, Tbilisi, 14-22
Feb 64.

LUJU, FTI (Leningrad State Univ, Physico Technical Inst)




COM SECTION SECTIONS AND DESCRIPTION OF THE PROPERTY OF THE PR

	\P5 005 <b>95</b> 1	· .
กคาสคร. เป็นฮ	to determine the relative contributions of the different purpose results obtained for the Pa <sup>231</sup> transition agree with those of a few to the pa <sup>231</sup> patthough these authors did not the	E. L. Churth
	perween the Lahell internal conversion coeff these second	valluiate
	್ ೧೮೮೮ ಆಕ. ೧ ರೇಕ್ಷಚಚರ, ಆರ್.೧೮	

L 06496-67 EWT(m) ACC NR: AP7000460	SOURCE CODE:	UR/0367/66	/004/001/00	66/0071
VONTUANCETY M. V.	LISTENGARTEN, M. A.; FEI	RESTN. A. P.	*··	
			<u> </u>	26
	ration Effects in <u>Interd</u> ika; July, 1966; pp 66-		<u> </u>	
	in internal conversion ( ection rules for Y'-trai	nsitions and co	nversion tr	ansitions,
due to the penetration first terms in the exnegligible, higher tempers to asymptotic qui	n of an electron into the pansion of the penetrations play a significant antum numbers are obtained authors! Eng. abst.	ion conversion role, and select ned for them.	matrix elemention rules Orig. art.	ments are with res-
due to the penetration first terms in the expegligible, higher tempest to asymptotic quant l table. Based of	n of an electron into the pansion of the penetrations of the penetrations play a significant mantum numbers are obtained.	ion conversion role, and selection for them.  _JPRS: 37,330	matrix elemention rules Orig. art.	ments are with res- has: 7 formul
due to the penetration first terms in the expection asymptotic quant 1 table. Based of ORG: Leningrad State	n of an electron into the pansion of the penetrations play a significant antum numbers are obtained authors! Eng. abst.	ion conversion role, and selected for them.  [JPRS: 37,330]  Ty gosudarstive	matrix elemention rules Orig. art.	ments are with res- has: 7 formul
due to the penetration first terms in the expegligible, higher terms and I table. Based of ORG: Leningrad State	n of an electron into the pansion of the penetrations play a significant antum numbers are obtained authors! Eng. abst. Juniversity (Leningrads)	ion conversion role, and selected for them.  [JPRS: 37,330]  Ty gosudarstive	matrix elemetion rules Orig. art. 1  / nnyy univer	ments are with res- has: 7 formi


"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R000412910019-4





FERET, J.; JAGIELKO, W.; WISNIEWSKI, A.


Morphologic variability of the long palmar muscle (m. palmaris longus) in man. Folia morph. (Wares) 24 no.1:63-68 '65.


1. Z Zakladu Anatomii Opisowej i Topograficznej Akademii Medyoznej w Krakowie (Kierownik: doc. dr. med. J. Sokolowska-Pituchowa).














THE PROPERTY OF THE PROPERTY O

FERGE, Sandorne, foeloado

Changes in income distribution. Stat azumle 42 no.8/9:
803-822 Ag-S '64.

1. Central Statistical Office, Budapest.

Name: FERGETEG, SANDOR


Dissertation: Effect of one- and two-year perennial grass sod on certain properties of turf-Podsol soils and the yield of succeeding crops


Degree: Cand Agr Sci

Defended At: Moscow Order of Lenin Agricultural Academy imeni K. A. Timiryazev

Publication Date, Place: 1956, Moscow

Source: Knizhnaya Letopis' No 5, 1957






FERIANC, OSKAR.

inundace uzemie pri Sennom (okres Velke Kapusany) ako dolezita migracna lokalita vodneho ptactva na vychodnom Slovensku. Bratislava, Vydavatelstvo Slovenskej akademie vied, 1955. 31 p. (Slovenska akademia vied. Sekcia 2. Prace. Seria biologicka, zv. l. zosit of Velke Kapusany as an important migration locality for water birds in eastern Slovakia. German and Russian summaries. illus., bibl.)

SOURCE: East European Accessions List. (EEAL) Library of Congress, Vol. 5, No. 8, August 1956.

			• •		
FERTANC,	0.				
In memor	r of Dantaman 7.73	7			
TH HOMOL	of Professor Julius	Nomarek. p. 387			
				* * *	
Vol. 10,	No. 3, 1955				
BIOLOGIA					
District8A	a, Czechoslovakia				
d. R.					
So: Last	ern European Accession	Vol. 5, No. 4	, April 1956		
	•				





FERIANC, D.; FERIANCOVA, Z.

"Birds of the High Tatra; with notes on their vertical distribution and ecology. (To be contd.)"

p. 49 (Acta, Vol. 1, no. 2, 1956, Praha, Czechoslovakia)

Monthly Index of East European Accessions (EEAI) LC, Vol. 7, no. 9, September 1958






FERIANC, O.; FERIANCOVA, Z.

"Birds of the High Tatra and notes on the altitude of their habitat and their ecology."

BIOLOGICKE PRACE. Bratislava, Czechoslovakia, Vol. 2, no. 12, 1958.

Monthly List of East European Accessions (EEAI), LC, Vol. 8, No. 8, August, 1959.

Uncl.



#### Zoology


#### CZECHOSLOVAKIA

FERTANC, Oskar; Scientific Zoological Institute, Faculty of Natural Sciences, Comenius University (Vedecky Zoologicky Ustav Prirodovedeckej Fakulty University Komenskeho), Bratislava.

"Analysis of Past Investigations and the Characteristics of the Fauna of "Zitny" Island (Danube Lowlands) with Special Attention to Avifauna."

Bratislava, Biologia, Vol 21, No 6, 1966, pp 438 - 452

Abstract: The history of the island is discussed. 100 years ago the area was a true island, but now only during very high water in the spring is there a separation of the land from the Danube lowlands. The surface of the "island" is 1885 sq. km. During the vegetation period the average temperature is 15°C. General characteristics of the fauna in the area are discussed. A full list of the birds living and nesting in the area, as well as those birds who stay just part of the year is given. Altogether 254 different forms of birds were found. There are typical European birds, Palearctic birds, Mediterranean, and Transmediterranean birds. Description of birds nesting in the 1/2



Rozsiremie miektorych vzacnych druhov cicavcov na Slovensku. Bratislava, Vydavatelstvo Slovenskej akademie vied, 1955. 23 p. (Slovenska akademia vied, 1955. 23 p. (Slovenska akademia vied, Sekcia 2. Prace. Seria Biologicka, zv. 1, zosit 3) (Distribution of certain rare species of mamals in Slovakia. German and Russian summaries. maps, bibl.)

SOURCE: East European Accessions List, (EEAL) Library of Congress, Vol. 5, No. 8, August 1956.

FERIANCOVA, Z.; FERIANC, O.

"Birds of the High Tatra and notes on the altitude of their habitat and their ecology." p. 483.

BIOLOGICKE PRACE. Bratislava, Czechoslovakia, Vol. 2, no. 12, 1958.

Monthly List of East European Accessions (EFAI), LC, Vol. 8, No. 8, August, 1959. Uncl.

FERIANCOVA, Z.


"Notes on the occurrence and ecology of amphibia in the Slovak rice paddies."
p. 26 (Biologia, Vol. 13, no. 1, 1958, Praha, Czechoslovakia)


Monthly Index of East European Accessions (EEAI) LC, Vol. 7, no. 9, September 1958

FERIANCOVA-MASAHOVA, Zora; KALIVODOVA, Eva

Effect of exhalates of aluminum works in Ziar nad Hronom on the nature of the bird population in the surrounding area. Biologia (Bratisl) 20 no.2:109-121 '65

1. Oddelenie biologie a tvorby krajiny Biologickeho ustavu Slovenskej akademie vied v Bratislave.





L 9744-66
ACC NR AF6001428 ( SOURC

SOURCE CODE: CZ/0049/65/000/002/0109/0121

THE BEAUTY OF THE PROPERTY OF

AUTHOR: Feriancova-Masarova, Zora-Feriantsova-Masarova, Zora (Doctor; Candidate of sciences); Kalivodova, Eva (Graduate biologist)

ORG: Department of Biology and Wild Life, Institute of Biology, Slovak Academy of Sciences, Bratislava (Oddelenie biologie a tworby krajiny Biologickeho ustavu Slovenske, akademia vied)


TITLE: Influence of the stack gases of the aluminum plant at Ziar upon Hron upon the bird population in its neighborhood

SOURCE: Biologia, no. 2, 1965, 109-121

TOPIC TAGS: air pollution, industrial waste, industrial plant, aluminum, plant injury, biologic reproduction

ABSTRACT: It seems that the population of birds is influenced mainly by the presence of fluorine. Because of the systematic fluorine discharge, trees, mainly evergreens and fruit trees, are affected; in the second step all trees, even deciduous ones. suffer. As a result of these changes, facilities for nest building by the birds are reduced. Some kinds of birds find nesting possibilities at the border areas; the areas will change in the same way as the destruction of further vegetation bases will proceed. Orig. art. has: 4 tables. [JPRS]

//UB CODE: 06 / SUEM DATE: none / ORIG REF: 025 / OTH REF: 002 / SOV REF: 001



#### Ecology

#### CZECHOSLOVAKIA

FERIANCOVA-MASAROVA, Zora; Institute of Rural Biology, Slovak Academy of Sciences (Ustav Biologie Krajiny Slovenskej Akademie Vied), Bratislava.

"Rice Fields of Danube Lowlands as an Example of Man's Interference with Nature, and their Influence on Temporary Changes in the Ornithofauna."

Bratislava, Biologia, Vol 21, No 5, 1966, pp 390 - 394


Abstract: The author discusses her study of birds in the area of the rice fields, which she conducted in 1953 - 1957, and predicts what changes will be probably caused when the planned work near the river Danube in Slovakia is completed. 5 Czech, 1 Western reference. (Manuscript received 24 May 65).


1/1


FERIC-ORBAN, Visnja, dr.; JURICIC, Doroteja, Mr.Ph.


Fetal hemoglobin in the cord blood. Lijecn. vjesn. 87 no.7:
739-744 Jl '65.

1. Iz Ginekolosko-porodajnog odjela i Zavoda za medicinsku biokemiju Opce bolnice "Dr. O. Novosel" u Zagrebu.










# FERIC-SELWERTH, F.: YESA LOVIC-SARAJLIC, M. Appearance of trachoma associated with scrofulous reaction in the other eye and tuberculosis of the organism. Radovi Med. fak. Zagrebu 1:73-82 1957. 1. From the Clinic of Ophthalmology of Medical Faculty in Zagreb. (TRACHOMA, complications, scrofula of the eye & extra-ocular tuberc. (Ser)) (SCROFUIA, complications, eye, with trachoma of other eye & extra-ocular tuberc. (Ser) (EYE DISEASES, complications, scrofula with trachoma of other eye & extra-ocular tuberc. (Ser)) (TUBERCULOSIS, complications, extra-ocular tuberc, with trachoma of one eye & scrofula of other (Ser))



#### YUGOSLAVIA

FERIC-SIETERTH, Feodora, Eye Clinic (Očna Klinika), Faculty of Medicine (Medicinski Fakultet), Zagreb.

THE THE PERSON WAS ASSESSED TO THE PERSON

"The Course of Treatment in the Case of Complications in Strabismus from Eccentric Fixation to Binocular Sight."

Zagreb, Radovi Medicinskog Fakulteta u Zagrebu, Vol 11, No 2, 1963, pp 131-139.

Abstract: [Author's German summary modified] The article provides a brief description of the treatment of amblyopic eyes with eccentric fixation on the "Euthiscope," "Coordinator," and "Synoptophore" (Cuepper method). The author regards these methods as advisable in such cases on the basis of her own results, viz., 66 percent achieved normal correspondence, 80 percent achieved fusion, and 46 percent achieved stereo vision.

Two tables, three drawings, one Yugoslav and 10 Western references of recent date.

1/1

